

P R O D U C T D E S C R I P T I O N

SPECIFICATION

People	4 persons
XPS material	Finnfoam
Shape	Rectangle
Room	2
Steam area	2,3m ²
Total height	2500mm
Exterior Cladding	18x145mm
Interior Tiling	10mm
Wall thickness	121mm
Insulation	80mm XPS
External dimension	2400x2000mm
Outside door size	700x2040mm
Inside door size	700x2000mm
Metal frame (can be operated with forklift)	1938x2338mm



BASIC

Materials

- Vestibule wall Thermo alder STP 15x68mm
- Bench Mosaic
- Floor tiles

Steam generator Harvia HGX 4,5kW

Automatic discharge valve

Fragrance pump

Control unit

Steam outlet Silent nozzle


Lighting

- Spotlight in vestibule
- Outdoor light
- LED strip light under bench

Aluminium frame glass door inside and outside

Wood plastic composite 1 side terrace with one wooden grille





DELIVERY

Size of pallets (LxWxH)	1200x2400mm H=2500mm
Weight	795kg

Steam room 2,4x2,0 is delivered to the customer **assembled**.

FLOOR STRUCTURE

- Floor finish 10mm
- Water proofing
- XPS material 80mm
- Metal frame with insulation 100x150x6

WALL STRUCTURE

- Wall finish 10mm
- Waterproofing
- XPS material 80mm
- Air gap 10mm
- Finishing wood 18x145mm

CEILING STRUCTURE

- Ceiling finish 10mm
- Waterproofing
- XPS material 80mm
- Air gap 10mm
- Plywood 18mm
- PVC roof cover

STEAM GENERATOR

- Harvia HGX45 4,5kW
- 150x530x230mm
- Supply voltage 3-phase 400V 3N
- Connecting cable 5x1,5 mm²
- Fuse A 3x10



AUTOMATIC DISCHARGE VALVE

- Harvia ZG-700
- 190x130x300mm




FRAGRANCE PUMP

- Harvia ZG-900
- 114x101x80mm



CONTROL UNIT




1. Steam generator on/off
2. Steam generator on with delay
3. Lighting on/off
4. Mode change
5. Value increase
6. Value decrease
7. Indicator light: Temperature
8. Indicator light: Time
9. Indicator light: Fragrance
10. Indicator light: Ventilation
11. Indicator light: Panel locked

STEAM OUTLET

- Harvia Silent steam nozzle
- ZG-520
- Ø285x40mm





WATER POINT

Water tap quick hose connection ½"




ELECTRICITY

Power plug 16A IP44



LIGHTING

Spotlight LED GTV, 3W, 4000K, ORIS lamp
LD-ORW03W-NB-E
Ø90mmx12mm (25mm)




OUTDOOR LIGHTING

ELED-631, 6W, LED, IP54
105x120x160mm



LIGHTING

16W RGBW FIBER OPTIC LIGHT
Model: MK-L16RGBW



LIGHTING

LED strip light
24V, 5W/m, 3000K



DRAIN PIPES

Floor drain pipes under the floor finish
Ø50mm



DOOR

2x Glass door
2000x700mm / 2040x700mm

