




P R O D U C T D E S C R I P T I O N

SPECIFICATION

People	2 persons
Frame	Spruce
Shape	Square
Room	1
Sauna area	3.40m ²
Total height	2500mm
Exterior Cladding	21mm
Interior Cladding	15mm
Wall thickness	169mm
Insulation	100mm
External dimension	2192x2192mm
Door size	800x2050mm
Metal frame (can be operated with forklift)	2110x2110mm



BASIC

Materials

- Wall Alder STP 15x90mm AB
- Bench Alder 28x90mm
- Floor Alder rest on waterproof plywood

Cilindro PPlus PP90

Safety railing for Cilindro Plus

XAFIR CS110 control unit for Cilindro Plus

Accessories

- A-500-B Sauna bucket
- Thermo-/hygrometer wooden
- Wooden hourglass wooden

Lighting

- Outdoor light
- 2 LED strip light (under upper bench and backrest) without dimmer


Glass door with lock- opaque 8mm tempered glass

Terrace wood plastic composite 1 side and one wooden grille





KUUT Electric SAUNA M B A S I C



DELIVERY

Sauna 2,19x2,19m is delivered to the customer **assembled**.

FLOOR STRUCTURE

Floor finish 36mm

Water proofing

Plywood 20mm

Metal frame with insulation 100x150x6

WALL STRUCTURE

Wall finish 15mm

Air gap 18mm and aluminum paper

Wood construction 45x95mm
with insulation 100mm

Air gap 20mm

Finishing wood 21x195mm

CEILING STRUCTURE

Ceiling finish 15mm sauna paneling

Air gap 18mm and aluminum paper

Wood construction 95x45mm
with insulation 100mm

Air gap 22mm

OSB 19mm

PVC roof cover

HEATER

Harvia
Cilindro Plus PP90
Ø310x1020mm



SAFETY

Safety railing
for the Cilindro Plus sauna heater
HP33 Ø520mm



CONTROL UNIT FOR CILINDRO PLUS HEATER

Harvia XAFIR CS110
30x147x50mm



ACCESSORIES

A-500-B
Sauna bucket



ACCESSORIES

Sentiotec thermometer
and hygrometer
A-210-THW




ACCESSORIES

Sentiotec Wooden hourglass
552-EP






KUUT Electric SAUNA M B A S I C



LIGHTING

Spotlight LED GTV, 3W, 4000K, ORIS lamp
LD-ORW03W-NB-E
Ø90mmx12mm (25mm)



OUTDOOR LIGHTING

ELED-631, 6W, LED, IP54
105x120x160mm



LIGHTING

LED strip light
24V, 5W/m, 3000K



ELECTRICITY

Power plug 16A IP44



DOOR

Glasshouse door
2050x800mm

