

P R O D U C T D E S C R I P T I O N

SPECIFICATION

People	4 persons
Frame	Spruce
Shape	Rectangle
Room	2
Sauna area	3.50m ²
Total height	2656mm
Exterior Cladding	21mm
Interior Cladding	15mm
Wall thickness	169mm
Insulation	100mm
External dimension	2190x3265mm
Outside door size	800x2050mm
Inside door size	800x2000mm
Metal frame (can be operated with forklift)	2110x3185mm



BASIC

Materials

- Wall Alder STP 15x90mm AB
- Bench Alder 28x90mm
- Floor Alder rest on waterproof plywood

M3 heater (for wood burning model)

Black chimney for M3 heater (for wood burning model)

Protective sheath for M3 heater (for wood burning model)

Accessories

- A-500-B Sauna bucket
- Thermo-/hygrometer wooden
- Wooden hourglass wooden

Lighting

- Spotlight in vestibule
- Outdoor light
- 2 LED strip light (under upper bench and backrest) without dimmer


Glass door with lock- opaque 8mm tempered glass

Terrace wood plastic composite 1 side and one wooden grille





KUUT Wood Heated SAUNA L B A S I C



DELIVERY

Size of pallets (LxWxH)	2200x3270mm H=2500mm
Weight	1200kg

Sauna 2,19x3,185m is delivered to the customer **assembled**.

FLOOR STRUCTURE

- Floor finish 21mm
- Plywood 20mm
- Metal frame with insulation 100x150x6

WALL STRUCTURE


- Wall finish 15mm
- Air gap 18mm and aluminum paper
- Wood construction 45x95mm with insulation 100mm
- Air gap 20mm
- Finishing wood 21x195mm

CEILING STRUCTURE

- Ceiling finish 15mm sauna paneling
- Air gap 18mm and aluminum paper
- Wood construction 95x45mm with insulation 100mm
- Air gap 22mm
- OSB 19mm
- PVC roof cover

HEATER

Harvia M3
390x430x710mm



CHIMNEY

Black steel chimney
WHP1500M
Ø220x1500mm
Ø115mm smoke outlet



BLACK STEEL CHIMNEY EXTENSION

WHP500M
Ø220x500mm
Ø115mm smoke outlet



SAFETY

Protective sheath for a wood-heated stove
WL450
480x455x800mm



ACCESSORIES


A-500-B
Sauna bucket



ACCESSORIES

Sentiotec thermometer and hygrometer
A-210-THW






ACCESSORIES

Sentiotec Wooden hourglass
552-EP



LIGHTING

Spotlight LED GTV, 3W, 4000K, ORIS lamp
LD-ORW03W-NB-E
Ø90mmx12mm (25mm)



OUTDOOR LIGHTING

ELED-631, 6W, LED, IP54
105x120x160mm



LIGHTING

LED strip light
24V, 5W/m, 3000K



LOUDSPEAKER

Harvia SACK08016
Ø142x50mm



ELECTRICITY

Power plug 16A IP44



DOOR

2x Glass door
2000x800mm
2050x800mm

