

## P R O D U C T D E S C R I P T I O N

# SPECIFICATION

People	4 persons
XPS material	Finnfoam
Shape	Rectangle
Room	2
Steam area	2,3m <sup>2</sup>
Total height	2500mm
Exterior Cladding	18x145mm
Interior Tiling	10mm
Wall thickness	121mm
Insulation	80mm XPS
External dimension	2400x2000mm
Outside door size	700x2040mm
Inside door size	700x2000mm
Metal frame (can be operated with forklift)	1938x2338mm



# BASIC

### Materials

- Vestibule wall Thermo alder STP 15x68mm
- Bench Mosaic
- Floor tiles

Steam generator Harvia HGX 4,5kW

Automatic discharge valve

Fragrance pump

Control unit

Steam outlet Silent nozzle


### Lighting

- Spotlight in vestibule
- Outdoor light
- LED strip light under bench

Aluminium frame glass door inside and outside

Wood plastic composite 1 side terrace with one wooden grille





## DELIVERY

Size of pallets (LxWxH)	1200x2400mm H=2500mm
Weight	795kg

Steam room 2,4x2,0 is delivered to the customer **assembled**.

## FLOOR STRUCTURE

Floor finish 10mm  
Water proofing  
XPS material 80mm  
Metal frame with insulation 100x150x6

## WALL STRUCTURE

Wall finish 10mm  
Waterproofing  
XPS material 80mm  
Air gap 10mm  
Finishing wood 18x145mm

## CEILING STRUCTURE

Ceiling finish 10mm  
Waterproofing  
XPS material 80mm  
Air gap 10mm  
Plywood 18mm  
PVC roof cover

## STEAM GENERATOR

Harvia HGX45 4,5kW  
150x530x230mm  
Supply voltage 3-phase 400V 3N  
Connecting cable 5x1,5 mm<sup>2</sup>  
Fuse A 3x10



## AUTOMATIC DISCHARGE VALVE

Harvia ZG-700  
190x130x300mm



## FRAGRANCE PUMP

Harvia ZG-900  
114x101x80mm



## CONTROL UNIT




1. Steam generator on/off
2. Steam generator on with delay
3. Lighting on/off
4. Mode change
5. Value increase
6. Value decrease
7. Indicator light: Temperature
8. Indicator light: Time
9. Indicator light: Fragrance
10. Indicator light: Ventilation
11. Indicator light: Panel locked

## STEAM OUTLET

Harvia Silent steam nozzle  
ZG-520  
Ø285x40mm





### WATER POINT

Water tap quick hose connection ½''




### ELECTRICITY

Power plug 16A IP44



### LIGHTING

Spotlight LED GTV, 3W, 4000K, ORIS lamp  
LD-ORW03W-NB-E  
Ø90mmx12mm (25mm)



### OUTDOOR LIGHTING

ELED-631, 6W, LED, IP54  
105x120x160mm



### LIGHTING

16W RGBW FIBER OPTIC LIGHT  
Model: MK-L16RGBW



### LIGHTING

LED strip light  
24V, 5W/m, 3000K



### DRAIN PIPES

Floor drain pipes under the floor finish  
Ø50mm



### DOOR

2x Glass door  
2000x700mm / 2040x700mm

