

PRODUCT DESCRIPTION

SPECIFICATION

People	4 persons
Frame	Spruce
Shape	Rectangle
Room	2
Sauna area	3.50m ²
Total height	2656mm
Exterior Cladding	21mm
Interior Cladding	15mm
Wall thickness	169mm
Insulation	100mm
External dimension	2190x3265mm
Outside door size	800x2050mm
Inside door size	800x2000mm
Metal frame (can be operated with forklift)	2110x3185mm

Materials

- Wall Aspen STS 15x90mm A
- Bench Thermo alder 28x90mm and 28x42mm
- Floor oiled Thermo birch

M3 heater (for wood burning model)

Black chimney for M3 heater (for wood burning model)

Protective sheath for M3 heater (for wood burning model)

Accessories

- Sauna bucket and ladle alu/wood
- Thermo-/hygrometer alu/metal
- Wooden hourglass wooden

Lighting

- Spotlight in vestibule
- Outdoor light
- 3 LED strip light (under lower and upper bench and backrest) with dimmer

Inside glass door with alder frame - clear 8mm tempered glass

Outside door with aluminium frame- opaque 8mm tempered glass


Terrace wood plastic composite 2 sides and 1 side wooden grille

Sound system Sentiotec ProD Bluetooth





KUUT Wood Heated SAUNA L



DELIVERY

Size of pallets (LxWxH) 2200x3270mm H=2500mm

Weight 1800kg

Sauna 2,19x3,185m is delivered to the customer **assembled**.

FLOOR STRUCTURE

Floor finish 21mm

Plywood 20mm

Metal frame with insulation 100x150x6

WALL STRUCTURE

Wall finish 15mm

Air gap 18mm and aluminum paper

Wood construction 45x95mm
with insulation 100mm

Air gap 20mm

Finishing wood 21x195mm

CEILING STRUCTURE

Ceiling finish 15mm sauna paneling

Air gap 18mm and aluminum paper

Wood construction
95x45mm with insulation 100mm


Air gap 22mm

OSB 19mm

PVC roof cover

HEATER

Harvia M3
390x430x710mm



CHIMNEY

Black steel chimney
WHP1500M
Ø220x1500mm
Ø115mm smoke outlet



BLACK STEEL CHIMNEY EXTENSION

WHP500M
Ø220x500mm
Ø115mm smoke outlet



SAFETY

Protective sheath
for a wood-heated
stove
WL450
480x455x800mm




ACCESSORIES

Sauna 4l bucket
and ladle set black
SAC1011
Sentiotec thermometer
and hygrometer
A-210-THW
Sentiotec Wooden hourglass
552-EP





KUUT Wood Heated SAUNA L



LOUDSPEAKER CONTROL UNIT

Sentiotec ProD Bluetooth
loudspeaker control unit
PROD-BT-W
790x1030x366mm



LIGHTING

Spotlight LED GTV, 3W, 4000K, ORIS lamp
LD-ORW03W-NB-E
Ø90mmx12mm (25mm)



OUTDOOR LIGHTING

ELED-631, 6W, LED, IP54
105x120x160mm



LIGHTING

LED strip light
24V, 5W/m, 3000K



LOUDSPEAKER

Harvia SACK08016
Ø142x50mm



ELECTRICITY

Power plug 16A IP44



DOOR

2x Glass door
2000x800mm
2050x800mm

