

## PRODUCT DESCRIPTION

# SPECIFICATION

|  |                    |
|--|--------------------|
| People   | 4 persons          |
| Frame  | Spruce             |
| Shape  | Rectangle          |
| Room   | 2                  |
| Sauna area                                     | 3.50m <sup>2</sup> |
| Total height                                   | 2656mm             |
| Exterior Cladding                              | 21mm               |
| Interior Cladding                              | 15mm               |
| Wall thickness                                 | 169mm              |
| Insulation                                     | 100mm              |
| External dimension                             | 2190x3265mm        |
| Outside door size                              | 800x2050mm         |
| Inside door size                               | 800x2000mm         |
| Metal frame<br>(can be operated with forklift) | 2110x3185mm        |



### Materials

- Wall Aspen STS 15x90mm A
- Bench Thermo alder 28x90mm and 28x42mm
- Floor oiled Thermo birch

### Cilindro Plus PP90

#### Safety railing for Cilindro Plus

#### XAFIR CS110 control unit for Cilindro Plus

### Accessories

- Sauna bucket and ladle alu/wood
- Thermo-/hygrometer alu/metal
- Wooden hourglass wooden

### Lighting

- Spotlight in vestibule
- Outdoor light
- 3 LED strip light (under lower and upper bench and backrest) with dimmer

Inside glass door with alder frame - clear 8mm tempered glass

Outside door with aluminium frame- opaque 8mm tempered glass


Terrace wood plastic composite 2 sides and 1 side wooden grille

Sound system Sentiotec ProD Bluetooth





# KUUT Electric SAUNA L



## DELIVERY

|                         |                      |
|-------------------------|----------------------|
| Size of pallets (LxWxH) | 2200x3270mm H=2500mm |
| Weight                  | 1800kg               |

Sauna 2,19x3,185m is delivered to the customer **assembled**.

## FLOOR STRUCTURE

- Floor finish 21mm
- Plywood 20mm
- Metal frame with insulation 100x150x6

## WALL STRUCTURE

- Wall finish 15mm
- Air gap 18mm and aluminum paper
- Wood construction 45x95mm with insulation 100mm
- Air gap 20mm
- Finishing wood 21x195mm

## CEILING STRUCTURE

- Ceiling finish 15mm sauna paneling
- Air gap 18mm and aluminum paper
- Wood construction 95x45mm with insulation 100mm
- Air gap 22mm
- OSB 19mm
- PVC roof cover

## HEATER

Harvia Cilantro 9kW



## SAFETY

Safety railing for the Cilindro Plus sauna heater HP33 Ø520mm



## REMOTE

Harvia Xenio CX170 WIFI




## ACCESSORIES

- Sauna 4l bucket and ladle set black SAC1011
- Sentiotec thermometer and hygrometer A-210-THW
- Sentiotec Wooden hourglass 552-EP




## LIGHTING

Spotlight LED GTV, 3W, 4000K, ORIS lamp LD-ORW03W-NB-E Ø90mmx12mm (25mm)





# KUUT Electric SAUNA L



## LOUDSPEAKER CONTROL UNIT

Sentiotec ProD Bluetooth  
loudspeaker control unit  
PROD-BT-W  
790x1030x366mm



## OUTDOOR LIGHTING

ELED-631, 6W, LED, IP54  
105x120x160mm



## LIGHTING

LED strip light  
24V, 5W/m, 3000K



## LOUDSPEAKER

Harvia SACK08016  
Ø142x50mm



## ELECTRICITY

Power plug 16A IP44



## DOOR

Glasshouse door  
2000x800mm  
2050x800mm

